

OptiSystem Publication References – 2014

Below is a listing of scientific papers, technical journals, periodicals, and conference publications which reference the use of OptiSystem in 2014.

- [1] H.-L. To, S.-H. Lee, and W.-J. Hwang, "A burst loss probability model with impatient customer feature for optical burst switching networks," *International Journal of Communication Systems*, 2014.
- [2] N. L. Win, "A Chromatic Dispersion Compensator for On-Off Shift Keying (OOK) Modulation Format by Mid-span Spectral Inversion," *International Journal of Science, Engineering and Technology Research*, vol. 3, no. 6, pp. 1618–1622, 2014.
- [3] D. Praveen, S. A. Kumar, and R. G. Sangeetha, "A Comparative Analysis of Transimpedance Amplifier in Giga-bit Optical Communication," *Research Journal of Engineering Sciences*, vol. 3, no. 3, pp. 1–25, 2014.
- [4] W. A. Imtiaz, Y. Khan, P. M. A. Shah, and M. Zeeshan, "A Comparative Study of Multiplexing Schemes for Next Generation Optical Access Networks," *Journal of Optical Communications*, 2014.
- [5] R. A. Kadhim, H. A. Fadhil, S. A. Aljunid, and M. S. Razalli, "A new two dimensional spectral/spatial multi-diagonal code for noncoherent optical code division multiple access (OCDMA) systems," *Optics Communications*, vol. 329, pp. 28–33, 2014.
- [6] H. Singh, M. L. Singh, and R. Singh, "A novel full duplex 16Gbps SCM/ASK radio over fiber WDM-PON sharing wavelength for up-and down-link using bidirectional reflective filter," *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 14, pp. 3473–3475, 2014.
- [7] G. Cheng, B. Guo, S. Liu, and W. Fang, "A novel full-duplex radio-over-fiber system based on dual octupling-frequency for 82GHz W-band radio frequency and wavelength reuse for uplink connection," *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 15, pp. 4072–4076, 2014.
- [8] Y. Liu, Z. Tong, Y. Cao, W. Zhang, and L. Li, "A novel joint technique for PAPR reduction in CO-OFDM systems," *Optoelectronics Letters*, vol. 10, no. 4, pp. 277–280, 2014.
- [9] A. Malekmohammadi and M. A. Elsherif, "A novel multilevel coding technique for high speed optical fiber communication systems," *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 2, pp. 639–643, 2014.

- [10] A. Hraghi and M. Menif, "A Performance evaluation of WDM-Nyquist systems generated by optical flat comb source and based on POLMUX-QPSK, POLMUX-DQPSK, POLMUX-16QAM and POLMUX-64QAM," in *SPIE Photonics Europe*, 2014.
- [11] S. Pani and A. Rajawat, "A Review on DWDM and MIMO-OFDM comparison," *International Journal of Engineering Science & Advanced Technology*, vol. 4, no. 1, pp. 10–17, 2014.
- [12] K. Ravi and S. Prakasam, "A Review–OFDM-RoF (Radio over Fiber) System for Wireless Network," *International Journal of Research in Computer and Communication Technology*, vol. 3, no. 3, pp. 344–349, 2014.
- [13] H. Chen, C. Gan, M. Yin, and C. Ni, "A Single-Star Multi-Ring Structure of Self-Healing Wavelength Division Multiplexing Optical Access Network," *Fiber and Integrated Optics*, vol. 33, no. 1–2, pp. 4–16, 2014.
- [14] M. M. Tharwat, I. Ashry, A. Elrashidi, and A. M. Mahros, "A study of green wavelength-division multiplexed optical communication systems using cascaded fiber bragg grating," *Optical Fiber Technology*, 2014.
- [15] A. A. Khadir, B. F. Dhahir, and X. Fu, "Achieving Optical Fiber Communication Experiments by OptiSystem," *International Journal of Computer Science and Mobile Computing*, vol. 3, no. 6, pp. 42–53, 2014.
- [16] S. H. Alnajjar, F. Malek, M. S. Razalli, and M. S. Ahmad, "Aerial Platforms to Ensure Communications Reliability in Disaster Areas," *Advanced Science Letters*, vol. 20, no. 2, pp. 369–374, 2014.
- [17] T. S. Divya, "All Optical Packet Switches Based On Space Switch Array for the Transmission of Higher Data Rate Using NRZ and RZ Modulation," *Journal of Electronics and Communication Engineering*, vol. 9, no. 2, pp. 19–24, 2014.
- [18] L. Li, R. Gu, Y. Ji, L. Bai, and Z. Huang, "All-optical OFDM network coding scheme for all-optical virtual private communication in PON," *Optical Fiber Technology*, vol. 20, no. 2, pp. 61–67, 2014.
- [19] X. Li, Z. Zhu, S. Zhao, Y. Li, L. Han, and J. Zhao, "An intensity modulation and coherent balanced detection intersatellite microwave photonic link using polarization direction control," *Optics & Laser Technology*, vol. 56, pp. 362–366, 2014.
- [20] A. Shrivastava and M. Saxena, "Analysis of Optical Communication System for Compensation of Dispersion by Comparing using Fiber Bragg Grating," *International Journal of Computer*

Science and Mobile Computing, vol. 3, no. 6, pp. 542–546, 2014.

- [21] N. Kumar, A. K. Jaiswal, M. Kumar, and A. Kumar, "Analysis of Pulse Code Modulation Formats in High Speed Optical Transmission System Using FBG and EDFA.," *Journal of Electronics and Communication Engineering*, vol. 9, no. 1, pp. 125–130, 2014.
- [22] Y. Almalaq and M. Matin, "Analysis of Transmitting 40Gb/s CWDM Based on Extinction Value and Fiber Length Using EDFA," *Analysis*, vol. 4, no. 2, 2014.
- [23] M. Sharma, P. K. Raghav, R. Chaudhary, and A. Sharma, "Analysis on Dispersion Compensation in WDM Optical Network using Pre, Post and Symmetrical DCF based on Optisystem," *MIT International Journal of Electronics and Communication Engineering*, vol. 4, no. 1, pp. 58–63, 2014.
- [24] Z. Li, A. Oouneh, M. Joshi, W. Zhang, X. Fu, and T. Li, "Aurora: A Cross-Layer Solution for Thermally Resilient Photonic Network-on-Chip," presented at the Large Scale Integration (VLSI) Systems, *IEEE Transactions on*, 2014.
- [25] F. J. Diaz-Otero and P. Chamorro-Posada, "Bundled solitons collision-induced frequency shifts in multiple-channel WDM dispersion managed systems," *Optics Communications*, vol. 332, pp. 1–8, 2014.
- [26] L. Liu, J. He, J. Tang, Y. Cheng, and L. Chen, "Channel estimation method using orthogonal sequences in frequency domain for 100-Gb/s polarization-division multiplexing single-carrier frequency domain equalization coherent optical communication systems," *Optical Engineering*, vol. 53, no. 5, pp. 056116–056116, 2014.
- [27] M. Z. Norazimah, S. A. Aljunid, H. M. Al-Khafaji, H. A. Fadhil, and M. S. Anuar, "Channel spacing effect on SAC-OCDMA system based modified-AND subtraction detection scheme," *Key Engineering Materials*, vol. 594, pp. 1059–1065, 2014.
- [28] S. Rajalakshmi, N. Baid, and V. Charan, "CHARACTERISTIC ANALYSIS OF DENSE WDM FOR LONG HAUL OPTICAL NETWORKS," *International Journal of Advanced Scientific and Technical Research*, vol. 3, no. 4, pp. 251–259, 2014.
- [29] E. A. El-Fiky, Z. A. El-Sahn, and H. M. Shalaby, "Coherent PONs for next generation access: OIOMA versus OCDMA," in *Computing, Networking and Communications (ICNC), 2014 International Conference on*, 2014, pp. 1011–1015.
- [30] P. Mishal Singla and S. Kumar, "Comparative Analysis of EDFA based 64 channel WDM systems for different pumping techniques," *International Journal of Scientific & Engineering*

Research, vol. 5, no. 6, pp. 66–69, 2014.

- [31] A. V. Patel, R. B. Patel, and K. A. Mehta, "Comparative analysis of single span high speed 40 Gbps long haul optical link using different modulation formats in the presence of Kerr nonlinearity," in *Students' Technology Symposium (TechSym)*, 2014 IEEE, 2014, pp. 132–137.
- [32] S. Mokhria and M. Sinha, "Comparative Study of CO-OFDM System with Fiber Length and Launch Power," *International Journal of Emerging Research in Management & Technology*, vol. 3, no. 5, pp. 172–176, 2014.
- [33] L. Chen, J. He, Y. Liu, L. Chen, and Z. Cao, "Comparison of interpolation algorithms for pilot-aided estimation of orthogonal frequency division multiplexing transmission in reversely modulated optical single sideband system," *Optical Engineering*, vol. 53, no. 5, p. 6108, 2014.
- [34] M. H. Shoreh, "Compensation of Nonlinearity Impairments in Coherent Optical OFDM Systems Using Multiple Optical Phase Conjugate Modules," *Journal of Optical Communications and Networking*, vol. 6, no. 6, pp. 549–558, 2014.
- [35] F. Xianjie and L. Yinfeng, "CO-OFDM Technology Long Distance Transmission System," *Appl. Math*, vol. 8, no. 2, pp. 901–906, 2014.
- [36] N. Zhu, Y. Wang, Z. Xu, J. Chen, H. Qian, and Y. Chen, "Crosstalk in high-speed WDM produced by refractive index fluctuation nonlinear effect," *Optik-International Journal for Light and Electron Optics*, 2014.
- [37] D. Xie, J. He, L. Chen, J. Tang, and M. Chen, "Data-aided channel estimation and frequency domain equalization of minimum-shift keying in optical transmission systems," *Chinese Optics Letters*, vol. 12, no. 4, p. 040604, 2014.
- [38] M. H. Langaroodi, "Design and performance of a 1550nm free space optical communications link," *California State University, Northridge*, 2014.
- [39] L. Chrostowski, J. Flueckiger, C. Lin, M. Hochberg, J. Pond, J. Klein, J. Ferguson, and C. Cone, "Design methodologies for silicon photonic integrated circuits," in *SPIE OPTO*, 2014.
- [40] X. Q. Chen and L. Tang, "Design of Optical Fiber Transmission System Based on Absolute Polar Duty Cycle Division Multiplexing (APDCDM)," in *Advanced Materials Research*, 2014, vol. 989, pp. 3583–3586.

- [41] F. Ullah, K. I. Qureshi, A. Khan, K. H. Khan, and S. A. Shad, "EFFECT OF FOUR WAVE MIXING ON AP-DCDM-WDM FIBER OPTIC SYSTEM AT DIFFERENT CHANNEL SPACING," *SCIENCE INTERNATIONAL (Lahore)*, vol. 26, no. 2, pp. 589–593, 2014.
- [42] N. Kumar, "Enhanced performance analysis of inter-satellite optical-wireless communication (IsOWC) system," *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 8, pp. 1945–1949, 2014.
- [43] N. Sangeetha, V. N. Krishna, and K. S. S. Reddy, "Enhancement of Quality of Service in Fi-Wi Networks," *International Journal of Advanced Research in Computer and Communication Engineering*, vol. 3, no. 3, pp. 5249–5251, 2014.
- [44] S. Seyedzadeh, G. A. Mahdiraji, R. K. Z. Sahbudin, A. F. Abas, and S. B. A. Anas, "Experimental demonstration of variable weight SAC-OCDMA system for QoS differentiation," *Optical Fiber Technology*, 2014.
- [45] L. Andrej, F. Perecar, J. Jaros, M. Papes, P. Koudelka, J. Latal, J. Cubik, and V. Vasinek, "Features and range of the FSO by use of the OFDM and QAM modulation in different atmospheric conditions," in *SPIE Sensing Technology+ Applications*, 2014.
- [46] S. Saad and L. Hassine, "Fiber Bragg grating technology for hydrogen detection as health monitoring in leakage cases," in *Green Energy, 2014 International Conference on*, 2014, pp. 279–283.
- [47] N. Garg and V. Singh, "Free Space Optical Communication link using optical Mach-Zehnder modulator and analysis at different parameters," in *Issues and Challenges in Intelligent Computing Techniques (ICICT), 2014 International Conference on*, 2014, pp. 192–195.
- [48] P. Kanjanopas, R. Maneekut, and P. Kaewplung, "FTTx with dynamic wavelength and bandwidth allocation," in *Information Networking (ICOIN), 2014 International Conference on*, 2014, pp. 517–520.
- [49] R. Zhang, J. Ma, Z. Wang, J. Zhang, Y. Li, G. Zheng, W. Liu, J. Yu, Q. Zhang, Q. Wang, and others, "Full-duplex fiber-wireless link with 40Gbit/s 16-QAM signals for alternative wired and wireless accesses based on homodyne/heterodyne coherent detection," *Optical Fiber Technology*, vol. 20, no. 3, pp. 261–267, 2014.
- [50] J. Ma and Y. Zhan, "Full-duplex hybrid PON/RoF link with the 10 Gbit/s 16-QAM signal for alternative wired and 60 GHz millimeter-wave wireless accesses," *Photonic Network Communications*, vol. 27, no. 1, pp. 16–27, 2014.

- [51] R. Giridhar Kumar, I. Sadhu, and N. Sangeetha, "Gain and Noise Figure Analysis of Erbium Doped Fiber Amplifier by Four Stage Enhancement and Analysis," *International Journal of Scientific and Research Publications*, vol. 4, no. 4, pp. 1–10, 2014.
- [52] D. Verma and S. Meena, "Gain Flatness and Bit Error Rate Improvements for an EDFA in WDM System," *International Journal of Enhanced Research in Science Technology & Engineering*, vol. 3, no. 5, pp. 408–412, 2014.
- [53] K. Ismail, P. S. Menon, S. Shaari, A. A. Ehsan, H. Bakarman, N. Arsad, and A. A. A. Bakar, "Gain performance of cascaded and hybrid semiconductor optical amplifier in CWDM system," *Journal of Nonlinear Optical Physics & Materials*, vol. 23, no. 01, 2014.
- [54] B. Patnaik and P. K. Sahu, "High-Speed 100 Gbps/Channel DWDM System Design and Simulation," in *Intelligent Computing, Networking, and Informatics*, vol. 243, Springer, 2014, pp. 557–563.
- [55] M. F. Ahmed, A. H. Bakry, and F. T. Albelady, "High-Speed Modulation of Multiple Quantum Well Laser Diodes," *Int. J. New. Hor. Phys.*, vol. 1, no. 1, pp. 1–7, 2014.
- [56] S. Saad, L. Hassine, and W. Elfahem, "Hydrogen FBG sensor using Pd/Ag film with application in propulsion system fuel tank model of aerospace vehicle," *Photonic Sensors*, vol. 4, no. 3, pp. 254–264, 2014.
- [57] F. Hossain, "Impact of Travelling Wave Semiconductor Optical Amplifier on WDM-FSO System under Fog Attenuation," *International Journal of Science and Research*, vol. 3, no. 4, pp. 235–238, 2014.
- [58] N. Kumar and H. Sohal, "Impact of Various Weather Condition on the Performance of Free Space Optical Communication System," *Journal of Optical Communications*, vol. 35, no. 1, pp. 45–49, 2014.
- [59] M. Mathur, I. Goyal, and G. Singh, "Implementation of a NOR Gate using photonic transistor logic," *International Journal on Computer Science and Technologies*, vol. 2, no. 1, pp. 29–33, 2014.
- [60] M. Tech, "Implementation of High Speed Long Reach Hybrid Radio over Multimode Transmission System," *International Journal of Science and Research*, vol. 3, no. 4, pp. 235–238, 2014.
- [61] N. Kumar, "Improved performance analysis of Gigabit passive optical networks," *Optik-*

International Journal for Light and Electron Optics, vol. 125, no. 7, pp. 1837–1840, 2014.

- [62] J. Temga, D. Liu, and M. Zhang, "Improved pilot data aided feed forward based on maximum likelihood for carrier phase jitter recovery in coherent optical orthogonal frequency division multiplexing," *Frontiers of Optoelectronics*, pp. 1–8, 2014.
- [63] S. M. Jahangir Alam, M. R. Alam, H. Guoqing, and M. Z. Mehrab, "Improvement of Bit Error Rate in Fiber Optic Communications," *International Journal of Future Computer and Communication*, vol. 3, no. 4, pp. 281–286, 2014.
- [64] M. Friedemann, "INTERROGATION OF OPTICAL FIBER SENSORS FOR CIVIL ENGINEERING APPLICATIONS USING WIDELY TUNABLE LASER," *BRNO UNIVERSITY OF TECHNOLOGY*, 2014.
- [65] G. Qazi, A. K. Sharma, H. Najeeb-ud-din Shah, and M. Uddin, "Investigation on inter-modulation products (IMPs) for IM-DD SCM optical links," *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 5, pp. 1629–1633, 2014.
- [66] M. Wang and J.-G. Zhang, "Investigation on wavelength multicasting technology based on XPM in a highly nonlinear fiber," *Journal of Modern Optics*, vol. 61, no. 13, pp. 1–8, 2014.
- [67] G. Singh, A. Seehra, and S. Singh, "Investigations on order and width of RZ super Gaussian pulse in different WDM systems at 40Gb/s using dispersion compensating fibers," *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 16, pp. 4270–4273, 2014.
- [68] K. Solis-Trapala, J. Kurumida, M. Gao, T. Inoue, and S. Namiki, "K. Solis-Trapala is with the Network Photonics Research Center, National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki 305-8568, Japan (e-mail: k. solis-trapala@ aist. go. jp).," *vol. 26, no. 6, pp. 629–632, 2014.*
- [69] H. Chen, J. He, J. Tang, F. Li, M. Chen, and L. Chen, "Key Laboratory for Micro/Nano OptoElectronic Devices of the Ministry of Education, Hunan University, Changsha 410082, China; College of Information Technology and Engineering, Hunan University, Changsha 410082, China," *Optical Communications and Networking, IEEE/OSA Journal of*, vol. 6, no. 2, pp. 159–164, 2014.
- [70] D. Jyoti, B. Kaur, and K. Singh, "Light Polarized Coherent OFDM Free Space Optical System," *International Journal of Information & Computation Technology*, vol. 4, no. 14, pp. 1367–1372, 2014.

- [71] J. H. Liu, Y. P. Ma, S. R. Ren, Y. Yang, and B. Zhang, "Long Reach 10-Gbps WDM-PON Based on Carrier Distribution and Coherent Detection for Upstream Transmission," in *Advanced Materials Research*, 2014, vol. 989, pp. 3806–3809.
- [72] G. Pandey and A. Goel, "Long reach colorless WDM OFDM-PON using direct detection OFDM transmission for downstream and OOK for upstream," *Optical and Quantum Electronics*, pp. 1–10, 2014.
- [73] S. H. Alnajjar, F. Malek, M. S. Razalli, and M. S. Ahmad, "Low-Altitude Platform to Enhance Communications Reliability in Disaster Environments," *Journal of Advances in Information Technology*, vol. 5, no. 1, pp. 21–30, 2014.
- [74] O. G. Morozov and G. A. Morozov, "Microwave signal processing in two-frequency domain for ROF systems implementation: training course," in *Optical Technologies for Telecommunications 2013*, 2014.
- [75] S. Das and E. Zahir, "Modeling and Performance Analysis of RoF System for Home Area Network with Different Line Coding Schemes Using Optisystem," *INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY SCIENCES AND ENGINEERING*, vol. 5, no. 6, pp. 1–8, 2014.
- [76] V. Sharma and A. Kaur, "Modeling and simulation of long reach high speed inter-satellite link (ISL)," *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 2, pp. 883–886, 2014.
- [77] W. Chen, P. Wang, and J. Yang, "Modelling and analysis of phase modulator based on silicon microring for long-haul transmission," *IET Optoelectronics*, vol. 8, no. 4, pp. 161–166, 2014.
- [78] S. Singh, S. Saini, G. Kaur, and R. S. Kaler, "Multiparameter optimization of a Raman fiber amplifier using a genetic algorithm for an L-band dense wavelength division multiplexed system," *Optical Engineering*, vol. 53, no. 1, pp. 016103–016103, 2014.
- [79] K. Solis-Trapala, T. Inoue, and S. Namiki, "Nearly-Ideal Optical Phase Conjugation based Nonlinear Compensation System," presented at the *Optical Fiber Communication Conference*, 2014.
- [80] D. Singh and P. Kumar, "Noise performance and analysis of long distance Optical fibre Communication System by using Different Modulation Techniques," presented at the *International Conference of Advance Research and Innovation*, 2014, pp. 525–529.

- [81] A. Panda and D. P. Mishra, "Nonlinear Effect of Four Wave Mixing for WDM in Radio-over-Fiber Systems," *Journal of Electronics and Communication Engineering Research*, vol. 2, no. 4, pp. 1–6, 2014.
- [82] X. Han and C.-H. Cheng, "Nonlinear filter based decision feedback equalizer for optical communication systems," *Optics express*, vol. 22, no. 7, pp. 8712–8719, 2014.
- [83] S. Singh, S. Saini, G. Kaur, and R. S. Kaler, "On the Optimization of Raman Fiber Amplifier using Genetic Algorithm in the Scenario of a 64 nm 320 Channels Dense Wavelength Division Multiplexed System," *Journal of the Optical Society of Korea*, vol. 18, no. 2, pp. 118–123, 2014.
- [84] A. Kumar, A. Sharma, and V. K. Sharma, "Optical amplifier: A key element of high speed optical network," in *Issues and Challenges in Intelligent Computing Techniques (ICICT)*, 2014 International Conference on, 2014, pp. 450–452.
- [85] N. A. Al-Shareefi, S. I. S. Hassan, F. Malek, R. Ngah, and S. A. Abbas, "Optical Generation of 60 GHz Downstream Data in Radio over Fiber Systems Based on Two Parallel Dual-Drive MZMs.," *International Journal of Engineering & Technology*, vol. 6, no. 2, 2014.
- [86] A. Chaudhary, S. Singh, G. Minocha, and H. Rana, "Optimization of Performance of Inter-Satellite Optical Link With Effect of Bit Rate and Aperture," *International Journal of Scientific Research Engineering & Technology*, vol. 3, no. 2, pp. 263–266, 2014.
- [87] I. B. Martins, I. Aldaya, G. Perez-Sanchez, and P. Gallion, "Optimization of spectral band utilization in gridless WDM optical network," in *SPIE OPTO*, 2014.
- [88] J. Lopez Vizcaino, Y. Ye, F. Jimenez, A. Macho, and P. Krummrich, "Optimized Amplifier Placements for Improved Energy and Spectral Efficiency in Protected Mixed-Line-Rate Networks," in *Optical Fiber Communication Conference*, 2014.
- [89] T. T. Naing, "Optimized Dispersion Mapping Scheme for five channel WDM system," *International Journal of Scientific and Research Publications*, vol. 4, no. 5, pp. 1–4, 2014.
- [90] M. Z. Jamaludin, F. Abdullah, and others, "Optisystem: An Alternative to Optoelectronics and Fiber Optics Teaching E-Laboratory," *International Journal of Asian Social Science*, vol. 4, no. 2, pp. 307–313, 2014.
- [91] S. Srinath, "Performance Analysis of 2.5 Gbps GPON," *International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering*, vol. 3, no. 6, pp.

10148–10155, 2014.

- [92] C. RASHIDI, S. ALJUNID, M. ANUAR, H. A. FADHIL, and F. GHANI, "PERFORMANCE ANALYSIS OF A NEW CLASS OF CODES WITH FLEXIBLE CROSS CORRELATION FOR SAC-OCDMA SYSTEM.," *Journal of Theoretical & Applied Information Technology*, vol. 61, no. 1, 2014.
- [93] K. Kumar, A. K. Jaiswal, M. Kumar, and N. Agrawal, "Performance Analysis of dispersion compensation using Fiber Bragg Grating (FBG) in Optical Communication," *International Journal of Current Engineering and Technology*, vol. 4, no. 3, pp. 1527–1531, 2014.
- [94] S. Seyedzadeh, G. Amouzad Mahdiraji, and A. F. Abas, "Performance Analysis of Duty-Cycle Division Multiplexing over Wavelength Division Multiplexing System," *Fiber and Integrated Optics*, vol. 33, no. 3, pp. 232–250, 2014.
- [95] V. Senthamizhselvan, R. Ramachandran, and R. Rajasekar, "PERFORMANCE ANALYSIS OF DWDM BASED FIBER OPTIC COMMUNICATION WITH DIFFERENT MODULATION SCHEMES AND DISPERSION COMPENSATION FIBER," *International Journal of Research in Engineering and Technology*, vol. 3, no. 3, pp. 287–290, 2014.
- [96] N. Sangeetha, R. Garg, S. Purwar, and A. Singh, "Performance Analysis of FBG DEMUX based WDM System by Varying Chirp Functions and Data Rates at Different Electrical Filters," *International Journal of Advanced Research in Computer and Communication Engineering*, vol. 3, no. 3, pp. 5869–5872, 2014.
- [97] P. Sharma, A. Kumar, and V. K. Sharma, "Performance analysis of high speed optical network based on Dense Wavelength Division Multiplexing," in *Issues and Challenges in Intelligent Computing Techniques (ICICT)*, 2014 International Conference on, 2014, pp. 446–449.
- [98] N. Ahmed, S. A. Aljunid, R. B. Ahmad, N. U. Ahamed, and M. Rahman, "Performance Analysis of Hybrid OCDMA/WDM System for Metro Area Network," *Journal of Optical Communications*, vol. 35, no. 1, pp. 39–43, 2014.
- [99] A. Chaudhary, S. Singh, G. Minocha, and H. Rana, "PERFORMANCE ANALYSIS OF INTER SATELLITE OPTICAL LINK AND THE EFFECT OF TRANSMITTER AND RECEIVER APERTURE ON ITS PERFORMANCE PARAMETERS," *International Journal of Advanced Technology in Engineering and Science*, vol. 2, no. 5, pp. 139–144, 2014.
- [100] M. Handa, M. Lal Singh, and R. Singh, "Performance analysis of optical WDM system based on unequal spaced channel allocation (USCA) scheme," *Optik-International Journal for Light*

and Electron Optics, vol. 125, no. 16, pp. 4462–4264, 2014.

- [101] Y. Singh, M. Bharti, and J. Kumar, "Performance Analysis of Optical Wireless Communication Channel Link at Various Bit Rates," *International Journal of Computer Science & Engineering Technology*, vol. 5, no. 1, pp. 26–30, 2014.
- [102] K. Kaur and P. K. Singh, "Performance analysis of Subcarrier Multiplexing Technique on Intersatellite Optical Wireless Communication And Its comparison with Wavelength Division Multiplexing," *International Journal of Research in Computer Engineering & Electronics*, vol. 3, no. 3, 2014.
- [103] G. Pandey and A. Goel, "Performance analysis of symmetrical 10Gbps colorless WDM-PON using subcarrier modulated downstream and wavelength converted upstream through RSOA," *Optik-International Journal for Light and Electron Optics*, 2014.
- [104] N. Pandey, A. K. Jaiswal, M. Kumar, and R. Saxena, "Performance Analysis of WDM Optical Communication System in the Presence of Four Wave Mixing (FWM) Under the Impact of Channel Spacing with Variable Dispersion," *International Journal of Emerging Technology and Advanced Engineering*, vol. 4, no. 4, pp. 874–879, 2014.
- [105] J. Li, T. Ning, L. Pei, W. Jian, J. Zheng, H. You, H. Chen, and C. Zhang, "Performance analysis on an instantaneous microwave frequency measurement with tunable range and resolution based on a single laser source," *Optics & Laser Technology*, vol. 63, pp. 54–61, 2014.
- [106] R. Kaur, R. Singh, and others, "Performance comparison of pre-, post-and symmetrical-dispersion compensation techniques using DCF on 40Gbps OTDM system for different fibre standards," *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 9, pp. 2134–2136, 2014.
- [107] A. Agarwal and S. K. Sharma, "Performance Comparison of Single & Hybrid Optical Amplifiers for DWDM System Using Optisystem," *Journal of Electronics and Communication Engineering*, vol. 9, no. 1, pp. 28–33, 2014.
- [108] R. Gaur, A. Singhal, and K. Pahwa, "Performance Evaluation of Optical Networks in Multifarious Environments," *Performance Evaluation*, vol. 2, no. 6, 2014.
- [109] X. Chen, X. Hu, and D. Huang, "Performance Evaluation of Single Sideband Radio over Fiber System through Modulation Index Enhancement," *Journal of Optical Communications*.
- [110] J. Sruthi Subash and J. S. Babu, "Performance Improvement of DWDM System by incorporating the Concept of Polarization," *Journal of Electronics and Communication*

Engineering, vol. 9, no. 2, pp. 30–32, 2014.

- [111] M. Y. Alhalabi and F. El-Nahal, "Performance Improvement of Wavelength Division Multiplexing Passive Optical Networks (WDM PONs)," 2014.
- [112] G. Qazi, A. K. Sharma, M. Uddin, and others, "Performance investigation on clipping and RIN induced degradation for a single-and two-tone IM-DD SCM optical link," *Optics Communications*, vol. 319, pp. 178–187, 2014.
- [113] G. Qazi, A. K. Sharma, H. Shah, and others, "Performance investigation on harmonic distortion and inter-modulation distortion induced degradation for a single-and two-tone IM-DD SCM optical link," *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 9, pp. 2148–2153, 2014.
- [114] H. Chen, J. He, J. Tang, F. Li, M. Chen, and L. Chen, "Performance of 16 QAM-OFDM With New Null Subcarrier Shifting in an Intensity-Modulated Direct Detection System," *Journal of Optical Communications and Networking*, vol. 6, no. 2, pp. 159–164, 2014.
- [115] C. Catalbas and N. O. Unverdi, "Performances of some applications in passive optical networks," in *Signal Processing and Communications Applications Conference (SIU)*, 2014 22nd, 2014, pp. 2261–2264.
- [116] J. Temga, L. Deming, M. Hamidine, Z. Minming, and C. H. Maiawe, "Phase Noise Jitter Synchronization for Coherent Optical OFDM via Pilot-Data-Aided and Wiener Filter," *Computer and Information Science*, vol. 7, no. 2, p. p56, 2014.
- [117] Y. Khan, M. I. Afridi, A. M. Khan, W. U. Rehman, and J. Khan, "Power Budget Analysis of Colorless Hybrid WDM/TDM-PON Scheme Using Downstream DPSK and Re-modulated Upstream OOK Data Signals," *Journal of Optical Communications*, pp. 1–7.
- [118] W. A. Imtiaz, Y. Khan, A. Qamar, J. Khan, and N. A. Khan, "Power budget analysis of dual/single feeder fiber WDM-PON," *Optoelectronics Letters*, vol.10, no. 2, pp. 137–139,2014
- [119] M. Bi, S. Xiao, H. He, J. Li, L. Liu, and W. Hu, "Power Budget Improved Symmetric 40-Gb/s Long Reach Stacked WDM-OFDM-PON System Based on Single Tunable Optical Filter," *Photonics Journal, IEEE*, vol. 6, no. 2, pp. 1–8, 2014.
- [120] S. Chaudhary, A. Amphawan, and K. Nisar, "Realization of free space optics with OFDM under atmospheric turbulence," *Optik-International Journal for Light and Electron Optics*, 2014.

- [121] J. Guiying and H. Lirong, "Remodulation scheme based on a two-section reflective SOA," *Journal of Semiconductors*, vol. 35, no. 5, 2014.
- [122] M. Z. Jamaludin, F. Abdullah, M. H. Al-Mansoori, N. I. M. Rawi, S. M. Idris, and M. R. Haleem, "Remotely pumped hybrid double-pass L-band optical amplifier utilizing chirped fiber Bragg," *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 2, pp. 620–623, 2014.
- [123] R. Li and L. H. Li, "Research of Auto Control about Bias Voltage of High Speed EOM," *Journal of applied science and engineering innovation Vol*, vol. 1, no. 4, 2014.
- [124] Y. WANG, H. LI, and Z. HAO, "Research of the PPM Modulation Technology in Space Communication," *Sensors & Transducers*, vol. 164, no. 2, pp. 182–190, 2014.
- [125] Y. Feng and L. Q. Huang, "Research on O-OFDM System Based on Hyper Chaos Scrambling Encryption Algorithm," *Applied Mechanics and Materials*, vol. 513, pp. 1903–1906, 2014.
- [126] V. Jyoti, "Security Enhancement in Optical Code Division Multiple Access Network," Thapar University, 2014.
- [127] R. Asif, R. Basir, and R. Ahmad, "Signal Processing Algorithms for Down-Stream Traffic in Next Generation 10Gbit/s Fixed-Grid Passive Optical Networks," *Advances in OptoElectronics*, vol. 2014, pp. 1–4.
- [128] D. S. Dohare, S. Dubey, R. Singh, and S. Kumar, "Simulation and Performance Evaluation of BPON System," presented at the National Conference on Synergetic Trends in engineering and Technology.
- [129] X. Y. Zhang and S. L. Zhao, "Simulation and Study for the Optical OFDM Communication," *Applied Mechanics and Materials*, vol. 530, pp. 729–733, 2014.
- [130] R. Sifta, P. Munster, O. Krajsa, and M. Filka, "Simulation of bidirectional traffic in WDM-PON networks," *Przeglad Elektrotechniczny*, pp. 95–100, 2014.
- [131] B. Yu, Y. Yao, Y. Zhao, C. Liu, and X. Yu, "Simulation research of medium-short distance free-space optical communication with optical amplification based on polarization shift keying modulation," *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 13, pp. 3319–3323, 2014.
- [132] X. Y. Ying, T. J. Liu, J. Li, H. F. Weng, and L. Liu, "Simultaneous Generation of Independent

Wired and Wireless Signals Using a Dual-Electrode MZM in ROF System," *Applied Mechanics and Materials*, vol. 543, pp. 2296–2299, 2014.

- [133] S. Singh, S. B. Rana, and S. Kher, "Study and Analysis of a Bi-directional Radio with Fiber Multiplexing System for Communication Services," *International Journal of Scientific & Engineering Research*, vol. 5, no. 3, pp. 748–758, 2014.
- [134] C. Li, D. Wang, and J. Hu, "Study of passive optical network monitoring based on non-OTDR," *Optoelectronics Letters*, vol. 10, pp. 144–147, 2014.
- [135] B. T. Ninh, P. V. Hội, Đ. T. Ngọc, P. T. Anh, and N. O. Tuấn, "The Effects of ASE Noise and the Position of EDFA Amplifier on Multi-Wavelength OCDM-Based Long-Reach Passive Optical Networks."
- [136] A. Zaki, H. A. Fayed, A. A. El Aziz, and M. H. Aly, "The Influence of Varying the Optical Wavelength on ISL Performance Recognizing High Bit Rates," *Journal of Electronics and Communication Engineering*, vol. 9, no. 2, pp. 64–70, 2014.
- [137] P. Montha, R. Maneekut, and P. Kaewplung, "The performance limitation of 10-Gbps-per-channel-based coarse wavelength division multiplexed passive optical network," in *Advanced Communication Technology (ICACT), 2014 16th International Conference on*, 2014, pp. 1089–1092.
- [138] I. S. Amiri, A. Nikoukar, A. Shahidinejad, and T. Anwar, "The Proposal of High Capacity GHz Soliton Carrier Signals Applied for Wireless Communication," *Reviews in Theoretical Science*, vol. 2, no. 4, pp. 320–333, 2014.
- [139] A. Alphones, X. Li, W. Zhong, and C. Yu, "Time-Domain Adaptive Decision-Directed Channel Equalizer for RGI-DP-CO-OFDM," *Photonics Technology Letters, IEEE*, vol. 26, no. 3, pp. 258–288, 2014.
- [140] D. Ali Mahdi Hammadi and E. M. Zghair, "Transmission Performance Analysis of Three Different Channels in Optical Communication Systems," *International Journal of Scientific & Engineering Research*, vol. 5, no. 2, pp. 1615–1618, 2014.
- [141] L. Li, D. Wu, L. Han, and G. Hu, "TWA-based channel estimation for CO-OFDM systems," *Optoelectronics Letters*, vol. 10, pp. 133–136, 2014.
- [142] M. G. Mustapha, M. Ajiya, and D. S. Shuaibu, "Uncluttered Gain Roll Out In Erbium Doped Fiber Amplifier," *International Journal of Computer and Communication Engineering*, vol. 1,

no. 1, pp. 64–67, 2014.

- [143] G. Kaur and N. Kaur, "Use of Dispersion Compensating Fiber in Optical Transmission Network for NRZ Modulation Format," *International Journal Of Engineering And Computer Science*, vol. 3, no. 5, pp. 5839–5842, 2014.

- [144] B. Beri and N. Kamal, "WDM BASED FSO LINK OPTIMIZING FOR 180KM USING BESSEL FILTER," *International Journal of Research in Engineering and Technology*, vol. 3, no. 3, pp. 110–115, 2014.

- [145] I. Khalil, A. Biswas, R. B. Rakib, M. A. Sayeed, and M. S. M. Sher, "WDM Transmission for Free Space Optics under Different Atmospheric Conditions," *Trends in Opto-Electro & Optical Communications*, vol. 4, no. 1, pp. 7–12, 2014.